E 3510-22-P

### **DEPARTMENT OF COMMERCE**

**National Oceanic and Atmospheric Administration** 

**50 CFR Part 660** 

[Docket No. 201204-0325]

RIN 0648-BL10

Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast

Groundfish Fishery; 2021-2022 Biennial Specifications and Management Measures;

**Inseason Adjustments; Correction** 

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and

Atmospheric Administration (NOAA), Commerce.

**ACTION:** Final rule; correction.

**SUMMARY:** NMFS published a final rule on December 23, 2021, announcing routine inseason adjustments to management measures in the commercial and recreational groundfish fisheries. In implementing these changes, NMFS inadvertently removed the trip limit for California black rockfish between 42° N. latitude and 40°10' N. latitude in Table 2 (North) and Table 3 (North). This correction is necessary so that the implementing regulations are accurate.

**DATES:** This correction is effective January 1, 2022.

FOR FURTHER INFORMATION CONTACT: Sean E. Matson, (206) 526-6140, e-mail: sean.matson@noaa.gov.

#### **ADDRESSES:**

#### **Electronic Access**

This rule is accessible via the Internet at the Office of the Federal Register Web site at https://www.federalregister.gov. Background information and documents are

available at the Pacific Fishery Management Council's website at <a href="http://www.pcouncil.org/">http://www.pcouncil.org/</a>.

**SUPPLEMENTARY INFORMATION:** NMFS published a final rule on December 23, 2021, announcing routine inseason adjustments to management measures in the commercial and recreational groundfish fisheries. This rule is effective January 1, 2022.

The December 23, 2021, final rule implemented changes to trip limits for sablefish north of 36° N. latitude and for lingcod north of 42° N. latitude. Additionally, the final rule announced new sub-bag limits and sub-trip limits, in recreational and non-trawl commercial fisheries respectively, for two nearshore species, quillback rockfish and copper rockfish, as well as the shelf species vermillion rockfish.

In implementing these changes, NMFS inadvertently removed the trip limit for California black rockfish between 42° N. latitude and 40°10' N. latitude in Table 2 (North) and Table 3 (North) of part 660, subpart E and F, respectively. This correction reinstates this trip limit as Line 22 of both tables. No other changes are made via this correction document. This correction is necessary so that the implementing regulations are accurate.

# Correction

Effective January 1, 2022, in FR. Doc. 2021-27901 at 86 FR 72863 in the issue of December 23, 2021, the following corrections are made:

# Table 2 (North) to Part 660 [Corrected]

 On page 72869, in amendatory instruction 2, Table 2 (North) to Part 660, Subpart E—Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10′ N Lat. is corrected to read as follows:

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table MAR-APR MAY-JUN Rockfish Conservation Area (RCA)1/2 1 North of 46°16' N. lat. shoreline - 100 fm line 40 fm line<sup>1/</sup> - 100 fm line 46°16' N. lat. - 40° 10' N. lat. 30 fm line  $^{1/}$ - 40 fm line  $^{1/2}$ See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California Minor Slope Rockfish3/ & Darkblotched rockfish 8.000 lb/ 2 month 5 Pacific ocean perch 3.600 lb/ 2 months 6 Sablefish 2,400 lb /week, not to exceed 4,800 lb /2 months 7 Longspine thornyhead 10,000 lb/ 2 months 8 Shortspine thornyhead 2,000 lb/ 2 months 2,500 lb/ 2 months 9 Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other 10.000 lb/ month ABLE 11 Flatfish<sup>4/8/</sup> 12 Whiting 10,000 lb/ trip 13 Minor Shelf Rockfish3/ 800 lb / month N 200 lb / month 14 Shortbelly Rockfish 15 Widow rockfish 4,000 lb/ 2 month 16 Yellowtail rockfish 3.000 lb/ month 17 Canary rockfish 3.000 lb/ 2 months 18 Yelloweye rockfish CLOSED 19 Minor Nearshore Rockfish, Oregon black/blue/deacon rockfish & CA black rockfish 5 5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue/deacon North of 42°00' N lat rockfish4 42°00' N. lat. - 40°10' N. lat.  $2,\!000$  lb / 2 months, of which no more than 75 lb may be quillback rockfish, and of which no more than 75 lb may Minor Nearshore Rockfish be copper rockfish 42°00' N. lat. - 40°10' N. lat 7,000 lb / 2 months California Black Rockfish 23 Lingcod<sup>6</sup> 24 North of 42°00' N. lat. 5.000 lb/ 2 months 42°00' N. lat. - 40°10' N. lat 2,000 lb/2 months 26 Pacific cod 1,000 lb/ 2 months 150,000 lb / 2 27 Spiny dogfish 200,000 lb / 2 months 100.000 lb / 2 months months 28 Longnose skate Unlimited 29 Other Fish<sup>7/</sup>& Cabezon in California Unlimited 30 Oregon Cabezon/Kelp Greenling Unlimited

- 2/Between 46°16' N. lat. and 40°10' N. lat. and the 30 fm and 40 fm lines, fishing is only allowed with hook-and-line gear except bottom longline and dinglebar gear, as defined in §660.11
- 3/ Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish and splitnose rockfish is included in the trip limits for Minor Slope Rockfish.
- 4/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 5/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.(46°38.17' N. lat.),

Unlimited

- 6/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42 N. lat. and 24 inches (61 cm) total length South of 42 N. lat.
- 7/ "Other Fish" are defined at  $\S$  660.11 and include kelp greenling off California and leopard shark.
- 8/ LEFG vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.230 (d) of the regulations for more information.
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

31 Big skate

## Table 3 (North) to Part 660, Subpart F [Corrected]

2. On page 72871, in amendatory instruction 4, Table 3 (North) to Part 660, Subpart F—Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40°10′ N Lat. is corrected to read as follows:

<sup>1/</sup> The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at \$\frac{8}{2}\$ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42 N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

12/1/2021

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
-	ckfish Conservation Area (RCA) <sup>1/</sup> :			<u> </u>	1005 11 1/			
	North of 46 <sup>*</sup> 16' N. lat.							
2	46 <sup>°</sup> 16' N. lat 40 <sup>°</sup> 10' N. lat.	40 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup> 30 fm line <sup>1/</sup> - 40 fm line <sup>1/2/</sup>						
3								
See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Bank, and EFHCAs).								
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.								
4	Minor Slope Rockfish <sup>3/</sup> & Darkblotched rockfish	2,000 lb / months						
_	Pacific ocean perch	100 lb/ month						
	•							
6	Sablefish	600 lb/day, or 1 landing /week up to 2,000 lb, not to exceed 4,000 lb / 2 months						
	Shortpine thornyheads	50 lb/month						
8	Longspine thornyheads Dover sole, arrowtooth flounder, petrale	50 lb/month						
_	sole, English sole, starry flounder, Other	5,000 lb/ month						
	Flatfish <sup>4/8/</sup>							
	Whiting	300 lb/ month						
	Minor Shelf Rockfish <sup>3/</sup>	800 lb / month						
	Widow rockfish	2,000 lb/ 2 months						
	Shortbelly Rockfish Yellowtail rockfish	200 lb / month 1.500 lb/ month						
	Canary rockfish	1,000 lb/ 2 months						
	Yelloweye rockfish	CLOSED _						
	linor Nearshore Rockfish, Oregon black/blue/deacon rockfish & CA black rockfish							
20	North of 42°00' N. lat.							
		2,000 lb / 2 months, of which no more than 75 lb may be quillback rockfish, and of which no more than 75 lb may be						
21	42 00' N. lat 40 10' N. lat. Minor Nearshore Rockfish							
	WIIIO NealShole Nockilsh							
22	42°00' N. lat 40°10' N. lat.	7 000 lh / 2 months						
22	California Black Rockfish							
23	Lingcod <sup>6/</sup>							
24	North of 42 00' N. lat.							
25	42°00' N. lat 40°10' N. lat.							
26	Pacific cod	1,000 lb/ 2 months						
27	Spiny dogfish	200,000 I	b/ 2 months	months		100,000 lb/ 2 mont	hs	
28	Longnose skate	Unlimited						
	Big skate	Unlimited						
	Other Fish <sup>7/</sup> & Cabezon in California	Unlimited Unlimited						
	Oregon Cabezon/Kelp Greenling SALMON TROLL (subject to RCAs when rei	taining all species of groundfish, except for yellowtail rockfish and lingcod, as described below)						
32	CALITON THOLE (Subject to NOAS WHEIT Tel	Salmon trollers may retain and land up to 500 lb of yellowtail rockfish per month as long as salmon is on board, both						
			within and outside of the RCA. Salmon trollers may retain and land up to 1 lingcod per 2 Chinook per trip, plus 1					
		lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. The lingcod limit only applies during times when lingcod retention is allowed, and is not "CLOSED." Theses limits are within the per						
33	North							
month limits described in the table above, and not in addition to those limits. All groundfish s open access limits, seasons, size limits and RCA restrictions listed in the table above, unles:								
						le above, uniess ou	lerwise stated fiere.	
	DINK CHOIMD NON CROUNDEIGH TRAWI (set subject to DOA)							
34	IK SHRIMP NON-GROUNDFISH TRAWL (not subject to RCAs)							
		Effective April 1	October 31: Ground	ich: 500 lb/day	Itinlied by the numb	er of days of the trin	not to exceed 1 500	
		Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish						
			mits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye					
rockfish are PROHIBITED. All other groundfish species taken are manag					taken are managed	under the overall 50	00 lb/day and 1,500	
	lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do r have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed							
		have species-sp	ecific limits. The am	ount of groundfish I	landed may not exce	eed the amount of pi	nk shrimp landed.	

<sup>1/</sup> The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose

other than transiting.
2/ Between 46°16' N. lat. and 40°10' N. lat. and the 30 fm and 40 fm lines, fishing is only allowed with hook-and-line gear except bottom longline and dinglebar gear, as defined in §660.11

<sup>3/</sup> Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for Minor Shelf Rockfish. Splitnose rockfish is included in the trip limits for Minor Slope Rockfish.

<sup>4/ &</sup>quot;Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

<sup>5/</sup> For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.),

there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip. 6/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

<sup>7/ &</sup>quot;Other fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

<sup>8/</sup> Open access vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.330 (d) of the regulations for more information. To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Karen Abrams,

Acting Director, Office of Sustainable Fisheries,

National Marine Fisheries Service.

[FR Doc. 2021-28351 Filed: 12/29/2021 8:45 am; Publication Date: 12/30/2021]